
SPR-P6-XXX-COM-M-BF

PERFORMANCE 6 SOLAR PANEL

535-550 W | Up to 21.1% Efficient





Framed glass-glass



Bifacial energy generation

Enhanced Power Density

With high efficiency, LeTID/LID-resistant solar cells (G12, 210mm), bifacial energy capture, a lower temperature coefficient, and front-side conductive wires that support increased current collection, SunPower Performance panels are uniquely engineered to deliver more lifetime energy over standard solar panels.

Proven Reliability

A proprietary shingled-cell design maximises durability in all types of weather conditions—including reinforced cell connections that withstand the stresses of daily temperature swings, redundant electrical paths that alleviate the impact of cell cracks, and an advanced electrical architecture that is more resilient to the effects of shade and mitigates hot-spot formation.



SunPower Complete Confidence Warranty

Each SunPower Performance panel is manufactured with the absolute confidence to deliver more energy and greater reliability over time—and backed for 25 years by one of the industry's most comprehensive warranties.

Product and power coverage 25 / 25 Years
Year 1 minimum warranted output 98.0%
Maximum annual degradation 0.45%



Performance 6 POWER: 535-550 W | EFFICIENCY: Up to 21.1%


	Electrical Data, Front STC Characteristics ¹			
	SPR-P6-550-COM-M-BF	SPR-P6-545-COM-M-BF	SPR-P6-540-COM-M-BF	SPR-P6-535-COM-M-BF
Nominal Power (Pnom)	550 W	545 W	540 W	535 W
Power Tolerance	+3/0%	+3/0%	+3/0%	+3/0%
Panel Efficiency	21.1%	20.9%	20.7%	20.6%
Rated Voltage (Vmpp)	39.5 V	39.3 V	39.1 V	38.8 V
Rated Current (Impp)	13.92 A	13.87 A	13.81 A	13.79 A
Open-Circuit Voltage (Voc) (+/-3%)	47.6 V	47.4 V	47.2 V	47.0 V
Short-Circuit Current (Isc) (+/-3%)	14.82 A	14.81 A	14.80 A	14.79 A

Bifacial Gain ²				
Pmax with 5% Bifacial Gain	578 W	572 W	567 W	562 W
lsc with 5% Bifacial Gain	15.56 A	15.55 A	15.54 A	15.52 A
Pmax with 10% Bifacial Gain	605 W	600 W	594 W	589 W
lsc with 10% Bifacial Gain	16.30 A	16.29 A	16.28 A	16.26 A
Pmax with 20% Bifacial Gain	660 W	654 W	648 W	642 W
lsc with 20% Bifacial Gain	17.78 A	17.77 A	17.76 A	17.74 A

	Mechanical Data
Impact Resistance	25 mm diameter hail at 23 m/s
Solar Cells	Monocrystalline PERC
Glass	2.0 mm, heat strengthened glass
Junction Box	IP-68, 3 bypass diodes
Connector	Renhe RHC2 or Zerun Z4S or Stäubli Evo2
Weight	32.4 kg
Max. Load ³	Wind: 2400 Pa, 245 kg/m² front & back
Iviax. Luau	Snow: 5400 Pa, 550 kg/m² front
Frame	Silver anodized aluminum alloy

Electrical Data		
Bifaciality (φPmax)	70% +/-10%	
Maximum System Voltage	1500 V IEC	
Temperature	-40°C to +85°C	
Maximum Series Fuse	25 A	
Power Temp. Coef.	-0.34% / ° C	
Voltage Temp. Coef.	–0.26% / ° C	
Current Temp. Coef.	0.05% / ° C	

Tests And Certifications		
Standard Tests	IEC 61215, IEC 61730 Rated to 1500 V	
Fire Rating	Class C (IEC 61730)	
Quality Certs	ISO 9001:2015, ISO 14001:2015	
EHS Compliance	ISO 45001-2018, Recycling Scheme	
Ammonia Test	IEC 62716	
Dust and Sand	IEC 60068-2-68	
Salt Spray Test	IEC 61701 (maximum severity)	
LeTID Test	TUV 2fg 2689/04.19 (LeTID Detection)	
PID Test	IEC 62804	





Please read the safety and installation instructions.

Visit www.sunpower.maxeon.com/int/PVInstallGuideIEC

Paper version can be requested through

techsupport.ROW@maxeon.com

3 As per IEC 61215-2016 tested and certified.

Designed in U.S.A.
Assembled in China
Specifications included in this datasheet are subject to change without notice.
©2022 Maxeon Solar Technologies. All Rights Reserved.
View warranty, patent and trademark information at maxeon.com/legal.



¹ Standard Test Conditions (1000 W/m² irradiance, AM 1.5, 25° C). NREL calibration Standard: SOMS current, LACCS FF and Voltage.

² The additional gain from the back side of the panel compared to the power of the front side of the panel at the standard test conditions. It depends on mounting (structure, height, tilt angle etc.) and albedo of the underlying surface.