

## **GOODWE Limited Warranty for Lynx Series LX F G2 Battery System** **(For Australia and New Zealand Markets)**

### **OVERVIEW**

GoodWe Technologies Co.,Ltd.(hereinafter referred to as GOODWE) warrants that, subject to the exclusions and limitations set out below, the GOODWE Lynx Series battery system LX F6.4-H-20, LX F 9.6-H-20, LX F 12.8-H-20, LX F 16.0-H-20, LX F 19.2-H-20, LX F 22.4-H-20, LX F 25.6-H-20, LX F 28.8-H-20 come with a \*Manufacturer's warranty which includes

1. 10 years of product warranty: GOODWE warrants that the hardware of electronics and enclosure (including battery cover, micro circuit breaker, BMS PCBA) will be free of defects caused by improper workmanship or defective materials and it will be starting from the first installation date.
2. 10 years of performance warranty: GOODWE warrants that the battery system retains either seventy percent (70%) of Usable Battery Capacity for ten (10) years, or for a Minimum Through Output Energy which is calculated from the first installation date.

<b><u>Model No.</u></b>	<b><u>*Usable Battery Capacity (kWh)</u></b>	<b><u>*Minimum Through Output Energy (MWh)</u></b>
<b><u>LX F6.4-H-20</u></b>	<b><u>6.4</u></b>	<b><u>23.36</u></b>
<b><u>LX F 9.6-H-20</u></b>	<b><u>9.6</u></b>	<b><u>35.04</u></b>
<b><u>LX F 12.8-H-20</u></b>	<b><u>12.8</u></b>	<b><u>46.72</u></b>
<b><u>LX F 16.0-H-20</u></b>	<b><u>16.0</u></b>	<b><u>58.40</u></b>
<b><u>LX F 19.2-H-20</u></b>	<b><u>19.2</u></b>	<b><u>70.08</u></b>
<b><u>LX F 22.4-H-20</u></b>	<b><u>22.4</u></b>	<b><u>81.76</u></b>
<b><u>LX F 25.6-H-20</u></b>	<b><u>25.6</u></b>	<b><u>93.44</u></b>
<b><u>LX F 28.8-H-20</u></b>	<b><u>28.8</u></b>	<b><u>105.12</u></b>

\*Usable Battery Capacity (KWh) needs to be measured by following the testing conditions and methods in Appendix A

\*The Minimum Through Output Energy is based on  $25 \pm 2^{\circ}\text{C}$

### **Statements required by Australian Consumer Law**

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Manufacturer contact details:

Name	GoodWe Technologies Co., Ltd.
Address	No.90 Zijin Road., New District, Suzhou, China
Email address	<a href="mailto:service@goodwe.com">service@goodwe.com</a>
Phone number	0512 69582201
Website address	<a href="https://en.goodwe.com/">https://en.goodwe.com/</a>

Australia importer contact details:

Name	GoodWe Australia Pty Ltd
Address	2/6 Enterprise Drive, Rowville, Victoria, 3178, Australia
Email address	<a href="mailto:service.au@goodwe.com">service.au@goodwe.com</a>
Phone number	03 9918 3905
Website address	<a href="https://www.goodwe.com.au/">https://www.goodwe.com.au/</a>

### **PRECONDITIONS FOR WARRANTY**

1. The defect of the battery system shall occur within the battery system warranty period as determined above.
2. Any battery system failure, fault or warning which leads to system not working or working abnormally, must be reported by following the terms described in 'HOW TO MAKE A CLAIM UNDER THE GOODWE LIMITED WARRANTY' within one month of appearance.
3. The battery system shall be installed by a skilled person or 3<sup>rd</sup> party installer.
4. End User shall correctly operate and use the battery system according to the User Manual and Installation Guide.
5. End User shall provide the proof of the original purchase of the battery system.
6. The installation of the Battery system for the End User shall be completed within maximum 6 months from the production date. If the equipment is not to be installed or used immediately, please ensure that the

storage environment meets the following requirements:

- a) Do not unpack the outer packing box or throw the desiccant away.
  - b) Complete the equipment installation in three days after unpacking it. Pack and store the equipment using the original packing box if it is not installed.
  - c) Stack the equipment complying with the labels and requirements on the packing box.
  - d) The equipment must be stacked with caution to prevent them from falling.
  - e) Keep the equipment away from flammable, explosive, and corrosive matters.
  - f) Place the equipment in a cool place where away from direct sunlight.
  - g) Store the equipment in a clean place. Make sure the temperature and humidity are appropriate and no condensation.
  - h) Storage SOC: 25%~50% SOC. Circle the charge-discharge every 6 months.
  - i) Recommended storage temperature: -20~45°C (less than one month) or 0°C~35°C (less than one year).
  - j) Recommended storage humidity: 0%~95%RH(no condensation). Do not install the battery if there is any moisture or condensation.
7. The equipment shall not be exposed in an installed area to direct sunlight, or temperatures of more than 50°C and/or below -10°C. The Battery system installation location must be ventilated in accordance with the requirements of User Manual and Installation Guide.
  8. This Warranty covers a capacity equivalent to one full cycle per day. The Battery system is not suitable for supplying life-sustaining medical devices or automotive application.
  9. The battery system shall be installed with GOODWE brand inverter. If you want to use any other brand inverter, please check with GOODWE to make sure it's compatible in advance.
  10. It is required that all Battery Systems have internet connection for monitoring. For those Battery Systems that failed to meet this condition, GOODWE Limited Warranty for Battery System may become null and void.
  11. Battery capacity is not allowed to be expanded after one year from the first installation, the capacity of new pack follows the old system.

#### HOW TO MAKE A CLAIM UNDER THE GOODWE LIMITED WARRANTY

If the claimant wants to make a warranty claim, please contact your local distributor where you purchased the battery system from, or the installer who installed the inverter for you. If the claimant was unable to obtain service from them, or was NOT satisfied with their service, the claimant can escalate your service request by creating a service ticket and make a claim to GOODWE via <https://goodwetechnology.zendesk.com/hc/en-gb>. Please note, in order to deliver a friendly and timely service, GOODWE is cooperating with many of our distributors and installers all over the world. As such, please treat them as the default service channel of GOODWE and use these service channels to make your warranty claim; GOODWE will support and audit our service channel to ensure that we deliver a good service to our customers.

Please have the following information to hand as it may be required when contacting the local distributor.

1. Contact information of claimant, including name of the person, name of the company, phone number, email address and shipment address.
2. Information regarding all defective battery system, including model No., serial number, installation date and failure date. Please make the claim within one month from the failure date, otherwise GOODWE will treat it as you have abandoned the right to make a warranty claim.
3. Installation information, including brand, model, and number of PV panels.
4. Error message on APP screen (if applicable) and additional information regarding the fault/error.
5. Description of actions before the failure and detailed information of previous claims (if applicable).

GOODWE may arrange an on-site inspection to find out the root of the faults. The claimant is responsible for granting access, making time, and ensuring the safety of the inspection by a technician from GOODWE or an authorized third-party company. GOODWE reserves the right not to enter the site should the GOODWE technician consider it unsafe to do so.

#### REMEDY

If a claim is received within the warranty period and a fault with the battery system is discovered that is covered under the warranty, GOODWE may, at its sole discretion, elect to

1. Fix the issue by changing configurations or updating software.
2. Repair the battery system by replacing with spare parts.
3. Exchange the battery system for a battery system that is brand new or refurbished but at least functionally equivalent to the original battery system, or an upgraded model which is either functionally equivalent or functionally superior to the original battery system. If the device is replaced within the warranty period, the remaining warranty period will be automatically transferred to the replacement unit. If the remaining warranty period is less than half a year after the replacement, it will be extended to a 6 months warranty. For every single battery system replacement case, the claimant must gather the necessary information and

send the RMA report (by following GOODWE's RMA template) to GOODWE to confirm the RMA request, prior to the battery system being exchanged.

4. If it's proven that the problem was caused by faulty installation, GOODWE reserves the right to contact the original installer and request that they provide a solution to fix the issue before GOODWE's intervention and may charge the subsequent cost to the original installer if they fail to provide a proper solution to fix this issue.
5. All parts of the battery system that GOODWE replaces shall become GOODWE's property. If the battery system is found not to be covered by this Limited Warranty, GOODWE reserves the right to charge a handling fee.

## WHAT IS COVERED AND NOT COVERED?

For the last 5 years of product warranty GOODWE will be responsible for hardware materials costs only, but for the first 5 years of product warranty please find the details following by:

**Transportation costs:** in some areas, GOODWE will cover the outbound and inbound transportation costs by using normal ground transportation up to a total amount (please contact GOODWE for the rate). The claimant must cover any excess costs or any costs generated by using another method of transportation. In some of the cases, the claimant needs to organize the return of the allegedly defective battery system to GOODWE and should confirm with GOODWE for the shipment schedule in advance. As battery systems need to be packaged in a reasonable condition, GOODWE suggests using packaging material that is the same size as the battery system package at the time of purchase. If the allegedly defective battery system is not returned within 4 weeks of the replacement unit being received by the claimant, or there's no damage found after checking the returned back battery system, GOODWE will invoice the claimant for the replacement unit in addition to the delivery and associated service charges.

**On-site service labor costs:** in some areas or business cases, to encourage the claimant using the installer's facilities to fix the problem, GOODWE may, at its sole discretion, decide to offer a rebate (please contact GOODWE for the rate) to the claimant or local installer/electrician to cover the on-site service labor under the following conditions:

1. The rebate will be eligible ONLY to the party who has carried out on-site service for the allegedly defective battery system.
2. The allegedly defective battery system has been returned to GOODWE and deemed to have workmanship or material defects upon testing and inspection by GOODWE.
3. The claimant must contact GOODWE prior to the site visit for authorization. If the site is a remote area or if the installer is unable to be on site, GOODWE recommends the claimant find a local electrician to carry out the on-site service.
4. The service rebate must be claimed within 2 months of the date upon which the on-site service is authorized by GOODWE.
5. The total labor cost (including TAX/GST) shall NOT exceed a total amount (please contact GOODWE for the rate) per case.

All other costs including but not limited to compensation from direct or indirect damages arising from the defective device or other facilities of the PV system, or loss of electrical power generated during the battery system downtime are NOT covered by the GOODWE limited warranty.

## WARRANTY EXCEPTIONS

The following circumstances may cause device defects, but are NOT covered by GOODWE's limited warranty.

1. Normal wear and tear.
2. Any defects that occur when the battery system warranty period has expired (excluding additional agreements of warranty extension).
3. Faults or damages due to faulty installations or operations, maintenance carried out against GOODWE instructions by an unauthorized installer. Unauthorized wiring or use with faulty or incompatible devices. Any changes to the installation not done in accordance with the Installation Guide. Usage which does not comply with the safety regulations (VDE, IEC, etc.). Damage or defect caused by End User's improper use, misuse, abuse, which non-conforming with User Manual.
4. Damage caused by End User deliberately or by willful act.
5. Disassembly, repair or modifications performed by a third-party company/person not authorized by GOODWE. Battery system modifications, design changes or part replacements not approved by GOODWE.
6. Faults or damages due to unforeseen circumstances, man-made factors, or examples of force majeure including but not limited to stormy weather, flooding, overvoltage, pests, inappropriate handling, misuse, neglect, fire, water, lightning or other acts of nature.
7. Vandalism, engraving, labels, irreversible marking or contamination or theft.
8. Faults or damage caused by other factors not related to battery system quality issues.
9. Any rust that appears on the device's enclosure caused by harsh environmental conditions, accidents and external influences. Faults or damage caused by exposure to sea coasts/saltwater or other aggressive

atmospheres or environmental conditions without GOODWE's written confirmation/approval prior to the installation.

10. Damage caused during transport, incorrect product installation, removal, exceedance of temperature range during use and improper use.
11. End User fails to provide correct product serial number or product serial number is undecipherable or has been modified without permission by GOODWE.
12. Defects of Product arise due to renewal of the national or regional laws or regulations.
13. Product failure is not reported to GOODWE within one month of appearance.

#### **OUT-OF WARRANTY-CASE**

Any defects that occur after the expiry of the warranty period, or which occur within the warranty period but which falls into the warranty exceptions conditions above, are known by GOODWE as out-of-warranty cases. For all out-of-warranty cases, GOODWE may charge an on-site service fee, a parts fee, labor costs and a logistics fee to customer, including any/all of:

1. On-site service fee: cost of travel and time for the technician to deliver on-site service and labor cost for the technician, who is repairing, performing maintenance on, installing (hardware or software) and debugging the faulty battery system.
2. Parts/materials fee: cost of replacement parts/materials (including any shipping/admin fee that may apply).
3. Logistics fee: cost of delivery and any other expenses incurred when defective battery systems are sent from the user to GOODWE or/and repaired battery systems are sent from GOODWE to the user.

#### **GEOGRAPHICAL SCOPE**

The GOODWE Limited warranty terms and conditions only apply for the devices which are originally purchased from channels authorized by GOODWE and installed in the destination defined within the international market (mainland China, Hong Kong, Macao and Taiwan are excluded), unless there are specially stipulated warranty terms and conditions between GOODWE and the direct purchaser. For any units sold for one country/region but installed in another country/region, the warranty will become invalid if GOODWE does not provide written confirmation/approval prior to the installation.

#### **LIMITATION OF GOODWE's LIABILITY**

This limited warranty applies to the battery system which is sold and installed after July, 2020. It is the end user's sole and exclusive remedy against GOODWE and GOODWE's sole and exclusive liability in respect of defects in battery system. This limited warranty replaces all other GOODWE warranties and liabilities, whether oral, written, (non-mandatory) statutory, contractual, in tort or otherwise, including, without limitation, and where permitted by applicable law, any implied conditions, warranties or other terms as regards satisfactory quality or fitness for purpose. However, this limited warranty shall neither exclude nor limit any of your legal (statutory) rights under the applicable national laws. To the extent permitted by applicable law(s), GOODWE does not assume any liability for any loss of, damage to or corruption of data, for any loss of profit, loss of use of battery systems or functionality, loss of business, loss of contracts, loss of revenue or loss of anticipated savings, increased costs or expenses or for any indirect loss or damage, consequential loss or damage or special loss or damage, or punitive loss or damage. To the extent permitted by applicable law, GOODWE's liability shall be limited to the purchase value of the battery system. The above limitations shall not apply in case of gross negligence or intentional misconduct of GOODWE or in case of death or personal injury resulting from GOODWE's proven negligence.

\*Manufacturer's warranty is a basic warranty promise from GOODWE to the end users. In some countries/districts, end users may receive an additional warranty promise (should be at least equivalent to the manufacturer's warranty) which is provided by GOODWE's local distributor; should any claims arise in this respect, please direct them to the local distributor. Please note this GOODWE limited warranty statement may NOT be the latest version, please refer to the latest version of the GOODWE limited warranty by visiting our global website via <https://en.goodwe.com/warranty.asp>

#### **Appendix A**

Capacity measurement condition: Ambient temperature: 25~28℃

Charge / Discharge method:

1. Discharge the battery with constant current until the battery reaches end of discharge voltage or battery self-protection automatically.
2. Lay aside the battery for 10mins.
3. Charge the battery with constant current and constant charge voltage until battery self-protection automatically.
4. Lay aside the battery for 10mins.
5. Discharge the battery with constant current until reach end of discharge voltage or battery self-protection automatically. Calculate discharged capacity. Monitor current timely. (If it's constant current.)
6. Calculate formula: Current Capacity = Discharge time × Constant current value.
7. Charge the battery with Constant current and constant charge voltage until battery self-protection automatically.